

# Medication Ordering – Searching for Medications and Medication Order Sets

## Purpose

This document provides a concise reference for prescribers on search terms that can be used to locate medication orders and order sets in Meditech Expanse. Please note that this is not an exhaustive list. It highlights key actions, system behaviors, and clinical considerations to support safe and efficient prescribing.

## Audience

Doctors, Nurses, Clinical Pharmacists


## Version Control

Version	Date	Author	Changes Made
1.0	23-Oct-2025	Le-Jhel Williams Christopher Meddings Medical Services	Initial draft

# Ordering Tip Sheet - Searching for Medications and Medication Order Sets

This guide provides information on search terms that can be used in Meditech Expense. Please note that certain medications may be restricted to specific sites. This information will be indicated in the drug lookup window after entering a search term.


Click on **Orders** > **Enter** > change the filter to Order Sets or Medication as appropriate, type in the relevant search term in the search bar.



Recommend entering a minimum of 5 characters to search for a medication or order set,

*\*minimum of 3 is required*

The search is based on generic name lookup.



For medications that require specific brands, such as Epilim, then brand names can be used to search

CURRENT

Favorites Sort

> Epilim

> Epilim Chrono

Drugs with common generic alternatives can also be located

Favorites Sort

> co-amilofruse

▼ aMILoride + furosemide [co-amilofruse 2.5 mg / 20 mg tablet]

1 tab ORAL OM SCH

▼ aMILoride + furosemide [co-amilofruse 5 mg / 40 mg tablet]

1 tab ORAL OM SCH

> co-amilozide

▼ aMILoride+hydroCHLORothiazide [co-amilozide 2.5 mg / 25 mg tablet]

1 tab ORAL OM SCH

▼ aMILoride+hydroCHLORothiazide [co-amilozide 5 mg / 50 mg tablet]

1 tab ORAL OM SCH

CURRENT

Favorites Sort

> aMILoride

> aMILoride + furosemide

> aMILoride+hydroCHLORothiazide

Ensure the **correct generic name** is being used in the search term.  
If still unable to find the desired product, please contact your pharmacist for advice

Search term	Order Set options
-------------	-------------------

**PCA (Orderset)**

📁 + PCA infusion (Adult) 📄 📄

Please seek assistance from the pain team as needed.

▼ **Naloxone (Opioid reversal)**

Please ensure naloxone in concurrently prescribed when prescribing PCA. Consider prescribing regular laxatives and PRN anti-emetics.

▼ naloxone [naloxone 400 mcg / mL ampoule]

naloxone [naloxone 400 mcg / mL ampoule] 100 - 200 mcg IV INJ EVERY 2 MINUTES PRN 📉 📊 15/11/2

\* Provider

\* Source

---

- > The Harborne Hospital
- > Harley Street Clinic
- > Lister Hospital
- > London Bridge Hospital (inc LBH @ Guys)
- > Portland Hospital (Adult & Maternity)
- > Princess Grace Hospital
- > Wellington Hospital

Listed by facility with specific concentration used:

Naloxone IV 100-200mcg IV every 2 minutes PRN

**Epidural (Orderset)**

*\*There are 2 options mixed infusions (containing an opioid) and plain infusions*

**Epidural mixed infusion**

📁 + Epidural (mixed) infusions 📄 📄

- > BUPivacaine (0.1%) + fentaNYL 2mcg/mL epidural
- > levobupivacaine (0.1%)+ fentaNYL 2mcg/mL epidural
- > diamorphine + BUPivacaine(0.25%) (King's protocol)
- > BUPivacaine (0.1%) 20mg+fentaNYL 40 mcg/20 mL PFS

▼ **Naloxone (Opioid reversal)**

Please ensure naloxone is concurrently prescribed when prescribing mixed epidurals. Consider prescribing regu

▼ naloxone [naloxone 400 mcg / mL ampoule] [Similar Order Selected](#)

naloxone [naloxone 400 mcg / mL ampoule] 100 - 200 mcg IV INJ PRN PRN 📉 📊

\* Provider

\* Source

---

**Epidural plain infusion**

📁 + Epidural (plain) infusions 📄 📄

- > BUPivacaine (0.125%) epidural
- > BUPivacaine (0.1%) epidural
- > levobupivacaine (0.125%) epidural

**Wound Infiltration Infusion (Orderset)**

Favorites Sort

**Wound infiltration infusions**

- > BUPivacaine (0.25%) wound infiltration infusion
- > BUPivacaine (0.125%) wound infiltration infusion
- > BUPivacaine (0.1%) wound infiltration infusion
- > levobupivacaine (0.125%) wound infiltration

**Regional LA Infusions (Orderset)**

Favorites Sort

**Regional LA infusions**

- > BUPivacaine (0.125%) Regional infusion
- > BUPivacaine (0.125%) Rectus sheath infusion

**CSCI via Syringe Driver (Order set)**

**CSCI via Syringe Driver**

**\*\*Ensure medication compatibility and select the correct diluent and syringe size.\*\***

Use the appropriate syringe size and diluent, as some drugs need specific diluents.  
Higher doses may exceed 17ml.  
Check drug compatibility here: [HTTPS://BOOK.PALLCARE.INFO](https://book.pallcare.info)  
or consult the palliative care team if unsure.

Order strings below are guides; prescribers can adjust additives and doses as needed. Use approved additives below.

**\*\*Opioids\*\***

- morphine sulphate 10 mg /mL solution for injection ampoule
- morphine 60 mg / 2 mL solution for injection ampoule
- oxyCODONE 10 mg /1 mL solution for injection ampoule
- oxyCODONE 20 mg / 2 mL solution for injection ampoule
- oxyCODONE 50 mg / mL solution for injection ampoule
- ALfentanil 1 mg / 2 mL solution for injection ampoule
- ALfentanil 5 mg / mL solution for injection ampoule

**\*\*Benzodiazepine\*\***

- midazolam 10/mg / 2mL solution for injection ampoule

**\*\*Anti-emetics\*\***

- cyclizine 50 mg / mL solution for injection ampoule
- metoclopramide 10 mg / 2mL solution for injection ampoule
- haloperidol 5mg/mL solution for injection ampoule
- levomepromazine 25 mg / mL solution for injection ampoule

**Drugs are grouped by diluent and diluent volume:**

- Water for injection 17mL
- Water for injection 22mL
- Sodium chloride 0.9% 17mL
- Sodium chloride 0.9% 22mL

- > CSCI WFI 17 mL syringe
- > CSCI WFI 22 mL syringe
- > CSCI NaCl 17 mL syringe
- > CSCI NaCl 22 mL syringe

**ICU  
(Order set)**

Favorites Sort icu

- > ICU (HSC) Cardiothoracic Adm
- > ICU (LBH) Cardiothoracic Adm
- > ICU (LBH) ERAS
- > ICU (LBH) General Surgical Adm
- > ICU (LBH) Liver Resection
- > ICU (LBH) Long Term Adm
- > ICU (LBH, Guys) Adm
- > ICU (LBH, Guys) Adm [ICU (LBH, Guys) Adm]
- > ICU (PGH) HDU Adm
- > ICU (PGH) ICU Adm
- > ICU (WH) Cardiac Surgery
- > ICU (WH) General Adm
- > ICU (WH) Spine Surgery
- > ICU Adult MRSA Suppression

Oxygen, fluid maintenance, electrolyte replacement, thromboprophylaxis, vasoactives, sedation, antiemetics and other miscellaneous drugs

These mimic what was previously built on ICCA

**ICU CRRT  
(Order set)**

- 📁 ➕ > ICU CRRT Citrate Multifiltrate
- 📁 ➕ > ICU CRRT Citrate Prismax
- 📁 ➕ > ICU CRRT Non-Citrate Multi Epo
- 📁 ➕ > ICU CRRT Non-Citrate Multi Hep
- 📁 ➕ > ICU CRRT Non-Citrate Prismax

Non-citrate and citrate haemofiltration fluids

**Anaesthetics  
Post Op (Adult)  
(Order set)**

CURRENT

Favorites Sort

📁 ➕ > Anaesthetics Post Op (ADULT)