

Placeholder Orders in Expanse for Systemic Anti-Cancer Therapy (SACT) or Monoclonal Antibodies (MAB) Prescribed and Administered Outside Expanse.

All Monoclonal Antibodies ordering (prescribing) is to remain on paper.

There will be 3 placeholders in Expanse relating to SACT/MABs. Expanse SACT placeholders have been built to enable clear indication on the Expanse MAR (Medication Administration Record) when Mosaiq or paper is concurrently being used to document administration of SACT or MABs. These placeholders are ordered the same way as a medication and appear as a dummy drug on the patient's MAR to prompt staff that a prescription is required.

Based upon why they are receiving SACT or MABs, the active prescription will either be on MOSAIQ (for cancer indications), or PAPER (for non-cancer indications (e.g. IBD – for a full list of these see **Appendix 1**). Any MABs for non-cancer indications not in Appendix 1, are orderable on Expanse.

Use these MAR placeholders ONLY for inpatients, when a patient has a SACT Treatment Protocol prescribed and is for administration on Mosaiq (cancer) or paper (non-cancer) during their stay.

There are THREE types of Placeholder Orders:

1. 'SACT Non-Cancer Paper Proforma' Rx:

To be used when a patient is prescribed for SACT/MABs on a paper proforma (only applies to specific drugs that require proforma for prescribing/administration - see Appendix 1). Any MABs for non-cancer indications not in Appendix 1, are orderable on Expanse.

2. 'Clinical Trial Drug (SCRI)':

Strictly for Sarah Cannon Research Institute (SCRI) Clinical Trial drugs for inpatient administration (including Oral IMPs) e.g. for patients receiving inpatient care at LBH @ Guys.

3. 'SACT Protocol (Mosaiq)':

To be used ONLY when a patient has a SACT Treatment Protocol prescribed and for


administration on Mosaiq during their inpatient stay.

Note: Do NOT use for ongoing oral SACT (e.g. long-term olaparib) or supportive meds (such as D1-3 GCSF) for inpatients- these MUST be prescribed in Expense.

How to Generate a Placeholder SACT Order

We will run through ordering the third type of placeholder order, 'SACT Protocol (Mosaiq)'. The same steps will apply in the other two types of placeholder orders, but the name and indication will be as specified above.

1. Type 'SACT' into medication ordering screen, options below appear. For other order types, search by name of order.



2. Select 'SACT Protocol (Mosaiq)'

The screenshot shows the 'Orders' interface with the 'ENTER' tab selected. A search for 'sact' has been performed, resulting in one order: 'SACT Protocol (Mosaiq) [SACT MAR Placeholder [active administration]]'. The 'See Dose Instructions' checkbox is checked. The right-hand panel displays patient information for 'Discharge, Pharmacy DNE' (Acute, 59, F, 12/12/1965, MRN# X000000996) and lists sections for Allergies, Vital Signs, and Active Problems, all of which are currently empty.

3. Select string to order, string details will appear - including 'See Dose Instructions'

This screenshot shows the expanded details for the selected order. The 'See Dose Instructions' checkbox is checked. Below the order name, there is a table with columns for 'Dose', 'Units', 'Route', 'Freq', 'Sch', 'Start Date', 'Start Time', 'Stop Date', 'Stop Time', 'Days', and 'Total Doses'. The 'Dose' field is pre-populated with 'See Dose Instructions'. Other fields include 'Units: dose', 'Route: OTHER', 'Freq: MDU', 'Sch: SCH', 'Start Date: Today', and 'Start Time: 12:00'. The right-hand panel shows a 'Conflicts' section in red, followed by 'Allergies', 'Vital Signs', and 'Active Problems'.

4. Dose instructions are pre-populated (these will appear on MAR)

Orders

CURRENT ENTER RECONCILE TRANSFER

Submit 1

Discharge, Pharmacy DNE
Acute 59, F - 12/12/1965
MRN# X00000996

ADM IN, H.WHUCCINP H.WHUCCINP-E
As of WH000006897 Status Not Ordered No Fix Avail

Search Patient's Chart

Conflicts

Allergies
Penicillins Anaphylaxis

Vital Signs
No Data to Display

Active Problems
No Active Problems on File

Additional Admin Copy Admin Notify Add View

* Provider Doctor, Consultant (Psy Test)

* Source Pharmacist PC

Protiding Yes No

Label Comments

* Dose Instruction
This is a MAR placeholder to be used when a patient has a SACT Protocol prescribed requiring administration on Mosaic during this inpatient stay. Note: Do not use for oral SACT or supportive meds - these MUST be prescribed in Expense separately. See Mosaic for legal prescription and administration record. Document that the Mosaic protocol has been checked by documenting the procedure as administered. Use the administration comment to add any extra information.

Special Instructions

Protocol

Taper Search For Taper

Problem

Diagnosis Code

5. Submit & Save. Will appear in current orders

Orders

CURRENT ENTER RECONCILE TRANSFER

Submit 0

Discharge, Pharmacy DNE
Acute 59, F - 12/12/1965
MRN# X00000996

ADM IN, H.WHUCCINP H.WHUCCINP-E
As of WH000006897 Status Not Ordered No Fix Avail

Search Patient's Chart

Allergies
Penicillins Anaphylaxis

Vital Signs
No Data to Display

Active Problems
No Active Problems on File

Medications by Generic Name

EDIT Multiple

ORDERS BY CATEGORY	PROVIDER	DATE	STATUS
Medications			
SACT ... See Dose Instructions OTHER HDU dose	Doctor, Consultant (Psy Test)	23/10/25 12:30	Ordered

6. View on MAR

Pharmacy DNE Discharge - Mar (HCAUK SANDBOX - TEST) More Help Settings

Discharge Pharmacy DNE Status Not Ordered No Rx Avail WH000006697
 99 F 12/12/1965 None X00000094
 DN IN H.WRUCCDP H.WRUCCDP-E Allergy/Adv: Penicillins R00001061

Refresh Change View Document Unchecked Access Detail Manual Barcode Enter Med Review Add/Remove Med Review Stop Care Add Labels Compound Verify

Filter Include: Active

Start	Stop	Status	Ask Status	Medication (Route)	Time	Wed 22 Oct	TODAY Thu 23 Oct
21/10/25 12:30		Unverified	Unacknowledged	SACT Protocol (Mosalg) See Dose Instructions OTHER HDU SCH Trade: SACT MAR Placeholder (active administration) Rx#: T00004377 [IP]			
				Dose Instructions: This is a MAR placeholder to be used when a patient has a SACT Protocol prescribed requiring administration on Mosalg during this patient's stay. Note: Do not use for oral SACT or supportive meds — these MUST be prescribed in Expanse separately. See Mosalg for legal prescription and administration record. Document that the Mosalg protocol has been checked by documenting this placeholder as administered. Use the administration comment to add any extra information.	12:30		-0m